EGYPT

Largest Arab population in the world

Pollution becoming


a significant






Physical Environment


- Topography
 - Mostly desert
 - 8,500 ft in the southern Sinai
- Climate
 - Intense sun
 - Severe shortage of rainfall
 - Extreme temperature
 variations in the desert; 50
 degrees F in a 24hr period
 - Summer winds may raise temperature 36 degrees F in less than 2 hours



Physical Environment



Physical Environment



Environmental Health Risk

- Greatest short term risks associated with ingestion of contaminated food/water; extreme heat/cold; airborne particulates; high altitude
- Greatest long term risks associated with consuming food contaminated with toxic metals or pesticides



Infectious Disease Risk

• INTERMEDIATE RISK for infectious diseases


 Inadequate force health protection (FHP) measures, will adversely impact mission effectiveness

Infectious Diseases

- Foodborne and Waterborne Diseases
 - HIGH RISK = Diarrhea, hep A & E, typhoid fever
 - INTERMEDIATE RISK = brucellosis, cholera
- FHP Priorities
 - Deploy appropriate PM personnel and equipment
 - Consume food, water, ice only from USapproved sources
 - Operate food preparation facilities in accordance with Army doctrine
 - Ensure proper hand washing facilities near all latrines and dining facilities and enforce

- Vector-borne Diseases
 - HIGH RISK = Malaria, Dengue fever, Leishmaniasis
 - INTERMEDIATE RISK = Chikungunya, Crimean-Congo fever, Japanese encephalitis, Rickettsioses, Sand-fly fever, Scrub typhus, West Nila fover
- FHP Priorities
 - Use DEET on all exposed skin
 - Treat field uniforms with permethrin
 - Use bed nets in field conditions, treat with permetrim
 - Enforce malaria chemoprophylaxis as appropriate

- Animal-contact Diseases
 - HIGH RISK = Rabies, among the highest in the world
 - INTERMEDIATE RISK = Anthrax, O-fever
- FHP Priorities
 - Avoid animal contact
 - No mascots
 - Report all animal bites and scratche



- Sexually Transmitted Diseases
 - INTERMEDIATE RISK = gonorrhea, chlamydia, HIV, Hep B
- FHP Priorities
 - Avoid sexual contact
 - Use latex condoms if sexually active



- Water-contact Diseases
 - INTERMEDIATE RISK = leptospirosis
- FHP Priorities
 - avoid unnecessary contact with lakes, rivers, streams, and other surface water

There will not be a sign like


WARNING!

LEPTOSPIROSIS HEALTH HAZARD

FRESH WATER STREAMS AND MUD POSSIBLY POLLUTED WITH BACTERIA

> SWIM, BOAT, OR HIKE AT YOUR OWN RISK

- Respiratory Diseases
 - INTERMEDIATE RISK = tuberculosis
- FHP Priorities
 - Tuberculin skin test before and after deployment
 - Avoid close contact with local population



Hazardous Animals & Plants

Animals

 Rabid dogs, snakes, centipedes, scorpions, spiders

Plants

Mexican Poppy, Fetid Nightshade

FHP Priorities

- Do not handle animals
- Shake out boots, clothing, & bedding
- Do not touch, chew, eat, or burn unfamiliar plants



SUMMARY

- Physical Environment
- Infectious Diseases = High Risk
- Hazardous Animals and Plants
- FHP measures are simple and effective
 - Use and Enforce
 - Will conserve the fighting stren

